

AAC ELEMENTS



AIRCRETE EUROPE | PRODUCT PORTFOLIO

STRUCTURAL BEAMS LINTELS

Aircrete lintels are special load-bearing reinforced products. They serve as beams to support the weight of the wall (live, dead and wind) over window or door openings.

- **Length up to 3 meters**
- **High load-bearing capacity**
- **SUPER SMOOTH surface**
- **Installation on AAC/concrete/steel structure**



DENSITY

A-600 (standard)

THICKNESS (mm)

100 - 300

LENGTH (mm)

1000 - 2500


HEIGHT (mm)

200 - 300

Dimensional accuracy: as per EN 77-4 for thin layer mortar TLMB table 2







With decades of experience and sales in over 100 different AAC plants in 20 countries on 6 different continents, Aircrete Europe is the recognized global leading developer and manufacturer of Autoclaved Aerated Concrete (AAC) machinery and technology for the production of AAC panels and blocks

We design and deliver the most innovative turn-key AAC plants and cutting-edge plant technology around the world. Being the long-term, exclusive project partner for our customers, we guide you through all the steps of planning, building and operating your AAC factory. We are a full technology partner, not just a machine supplier, resulting in maximum value creation for our customers. Together we build your success!

Our corporate headquarters, operations and the manufacturing sites are located in Oldenzaal (the Netherlands) with a support office in Hilversum (the Netherlands), and sales representatives in the Americas, Middle East and South East Asia.



Aircrete Europe
Münsterstraat 10
7575 ED Oldenzaal
The Netherlands

Tel: +31 (0) 541 571020
Email: info@aircrete.com
www.aircrete.com